AZERTEXNOLAYN

TRAP C250 H165

General information

It is used for the evacuation of the water collected at the roads used by pedestrians, light vehicles, stations, warehouses, etc. through sewers.

1. General information and specifications:

Cover and Frame material: It is made of spherical graphite material in accordance with EN 1563 standard.
Connection parts: made of stainless or galvanized bolts or nuts.

COPYRIGHT©AZERTEXNOLAYN LLC 2020





AZERTEXNOLAYN LLC reserves the right to make changes in design and materials that do not impair performance

COPYRIGHT©AZERTEXNOLAYN LLC 2020

2. Supply set	
DETAIL	**QUANTITY**
Body	1
Cover	1
Bolt	3
Nut	2
Passport	1
*It is allowed to prepare 1 passport for a group of product of not more than 10 pieces.	

3. Warranty obligations:

The warranty period is 2 years from the date of commissioning, but not more than 5 years from the date of shipment from the enterprise.
Assigned service life- 20 years
Storage conditions of rainwater grilles–group Ж 1 GOST 15150
The limiting criterion is the presence of damage (cracks, debris, etc.)

4. Usage information:

At the end of its service life, the product is not dangerous for life, human health and the environment. The use of a trap can be done in any way, without restrictions.

COPYRIGHT©AZERTEXNOLAYN LLC 2020